



TRAFFIC CONTROL PRODUCTS

We Create The Tools That Help People Stay Safe. Think Safety. Think MDI.

MASH // WORK ZONE // INCIDENT MANAGEMENT // PARKING // PEDESTRIAN // ACCESSORIES

WindMaster
A Product of MDI



Introduction

TRAFFIC FLOWS THROUGH US

MDI® knows how important safety, protection, and visibility are to work zone crews and emergency responders. With this in mind, we are proud to offer our customers a wide selection of high-quality, state-of-the-art traffic control products that safeguard lives and property.



Known in the industry as a true innovator, MDI invented WindMaster®, the first spring-loaded portable sign stand, in 1975. It has been a pioneer in the utilization of vinyl retroreflective signs for highly-effective communication with motorists on the nation's highway system. We are continually adding new safety products created by our design engineers and manufactured at our headquarters located in Farmington Hills, Michigan.

Family-owned since 1965, MDI prides itself on uncompromising products and processes, along with exceptional and proactive customer service.





MASH

MASH Tested Products.....	6
---------------------------	---

WORK ZONE SAFETY

Sign Stands

Compact Collapse & Wrap Sign System	9
Original WindMaster® Sign Stands.....	10
WindMaster Sign Stands	12
Tripod Sign Stands	13
StackMaster™ Rubber Base	14

Roll-Up Signs

Roll-Up Signs	15
Standard Sign Legends.....	16
Changeable Sign Legends / Overlay Patches	18
DuraLatch® Crossbracing	19
Rectangular Signs.....	20
Sign Stand Specifications.....	21

INCIDENT MANAGEMENT SAFETY

Sign Stands

TrafficMaster® Sign System.....	23
Compact Collapse & Wrap Sign System.....	24

Signs

Standard Sign Legends.....	25
Changeable Arrow / Checkpoint Ahead Sign Legends.....	26
Completely Changeable Sign Legends.....	27
Compact Privacy Screen	28
Hitch Mount Sign Holder	29
Collapsible Cones	29

PARKING

Signs

Standard / Changeable Sign Legends.....	32
Compact Collapse & Wrap Sign System.....	33
WindMaster Outdoor Curb Signs	34
PosterGrip® Outdoor Frames	35



PEDESTRIAN SAFETY

SpeakMaster™ Audible Alert System	37
---	----

SAFETY ACCESSORIES

Storage Bags	39
Storage Boxes.....	39
Brackets	40
Reference Guides, Flags, Stop/Slow Paddles	42
Ordering Information	43


Largest selection of portable



sign stands in the industry.



5012SS Series




3612®DLK



4814® Series




4814HDK




T1260M



4818®M



4860®M



4860M-84

MASH WindMaster TESTED PASSED

MDI® is proud to offer a full range of sign stands to meet your work zone signage needs. Our original WindMaster® sign stands, constructed of steel bases and spring components, deliver the quality you have come to rely on.

Our WindMaster product line allows deployment of your signs at various heights between 12" and 88" from ground surface. Models T1260M, 4818®M, 50SM-2S, 4860®M also feature MDI's BreakAway® system. WindMaster sign stands are backed against defects in workmanship, parts and materials.



Break Away



STACKMASTER™
Pocket-lock sign bracket.
For use with roll-up signs.
Sign height: 12"



5012M-NCAM
Universal CamLock®
sign attachment.
For use with roll-up signs.
Sign height: 12"



5012M-SS
Universal Screw-lock
sign attachment.
For use with roll-up signs.
Sign height: 12"



4814M-SL
Universal Screw-lock
sign attachment.
For use with roll-up signs.
Sign height: 14"



4814M-DLK
Drop-N-Lock sign
attachment.
For use with roll-up signs.
Sign height: 14"



50SM-NS
For use with roll-up or
rigid signs.
Sign height: 12"-54"

Model Number	Deployed Height*	Sign Height**	Folded Dimensions (HxWxD)	Weight	Roll-Up Signs	Rigid Signs	WindMaster Springs
STACKMASTER	80"	12"	4½" X 28" X 17¾"	35 lbs.	◆	—	None
5012M-NCAM	80"	12"	29" X 7½" X 6½"	21 lbs.	◆	—	None
5012M-SS	80"	12"	25" X 7½" X 6½"	22.5 lbs.	◆	—	Single
4814M-SL	82"	14"	25" X 6½" X 6½"	25 lbs.	◆	—	Dual
4814M-DLK	82"	14"	25" X 6½" X 6½"	21 lbs.	◆	—	Dual
50SM-NS	88"	12"-54"	61½" X 7½" X 6½"	23.5 lbs.	◆	◆	None

* To top of 48" sign without flags. ** Distance from bottom of 48" sign to ground.

MASH WindMaster TESTED A Product of MDI PASSED

- ◆ Steel base and spring components specially coated to withstand 240 hours of salt spray.
- ◆ Aircraft aluminum alloy legs and uprights, with anti-skid rubber leg caps.
- ◆ Adjustable legs for stability on curbs or uneven terrain.
- ◆ Springs with strong initial tension allows sign stand to stay upright in high winds.
- ◆ Kick-release legs simplify set up.
- ◆ One person deployment without tools.
- ◆ Folds for easy handling and convenient storage.
- ◆ Designed to accommodate most roll-up signs

**T1260M**

For use with roll-up or rigid signs.
Sign height: 12"-63"

**50SM-2S**

For use with roll-up or rigid signs.
Sign height: 12"-63"

**4818M**

For use with roll-up or rigid signs.
Sign height: 12"-63"

**50SM-2S7**

For use with roll-up or rigid signs.
Sign height: 12"-84"

**4860M**

For use with roll-up or rigid signs.
Sign height: 12"-84"

**4860M-84**

For use with roll-up or rigid signs.
Sign height: 12"-88"

Model Number	Deployed Height*	Sign Height**	Folded Dimensions (HxWxD)	Weight (w/o brackets)	Roll-Up Signs	Rigid Signs	WindMaster Springs
T1260M	97"	12"-63"	45½" X 6⅓" X 7¼"	30 lbs.	◆	◆	Dual
50SM-2S	97"	12"-63"	63" X 11" X 8¼"	36 lbs.	◆	◆	Dual
4818M	97"	12"-63"	63" X 11" X 8¼"	30 lbs.	◆	◆	Dual
50SM-2S7	128"	12"-84"	87" X 11" X 8¼"	38 lbs.	◆	◆	Dual
4860M-LT	128"-152"	12"-84"	85" X 6⅓" X 7¼"	30 lbs.	◆	◆	Dual
4860M	128"-152"	12"-84"	85" X 11" X 8¼"	45 lbs.	◆	◆	Dual
4860M-84	128"-152"	12"-88"	98" X 11" X 8¼"	46 lbs.	◆	◆	Dual

* To top of 48" sign without flags. ** Distance from bottom of 48" sign to ground.



MDI® IS COMMITTED TO KEEPING WORK ZONES SAFER FOR CREWS WORKING IN THE ROADWAY AND FOR MOTORISTS.

We have designed and manufactured a complete line of products to help significantly improve work zone safety through our highly-effective WindMaster® sign stands and roll-up signs.

Quickest and Easiest Deployment in the Industry.

The MDI Compact® Collapse & Wrap Sign System is comprised of an MDI Compact sign and a WindMaster® sign stand (each sold separately). Once the sign is mounted to the stand it becomes one unit, and, if desired, the sign can stay in place in the stand. To store, the sign quickly collapses down using the single trigger release button and wraps around the upright on the stand. The rapid deployment significantly improves safety and efficiency in the work zone.

- ◆ Flexible fiberglass crossbrace enhances wind performance.
- ◆ Sign and stand sets up in less than 20 seconds.

MDI Compact Collapse & Wrap Sign System


Consists of MDI Compact sign with WindMaster sign stand.

For use with all 3612®, 4814® and 5012 sign stands.

Not available in Diamond Grade material.



An optional flag bracket is available.



Single Trigger Release
The patented MDI Compact Collapse & Wrap sign system features signs that have hinged, integrated crossbracing with a single trigger release mechanism for rapid deployment and take-down.



MDI Compact Collapse & Wrap Sign System configuration shown with a WindMaster 4814M-DLK sign stand.

Sign and sign stand store as one for rapid deployment. MDI Compact Sign 36" & 48" are sold separately.

MDI Compact Sign System	Folded Dimensions Stand / Sign	Deployed Dimensions Stand / Sign	Weight
3612DLK w/36" MDI Compact sign	38" x 8" x 8"	63" x 51" x 62"	23 lbs.
3612DLK w/48" MDI Compact sign	46" x 8" x 8"	80" x 68" x 62"	26 lbs.
4814HDK w/36" MDI Compact sign	40" x 8" x 8"	65" x 60" x 87"	29 lbs.
4814HDK w/48" MDI Compact sign	48" x 8" x 8"	82" x 68" x 87"	32 lbs.
4814M-DLK w/36" MDI Compact sign	40" x 8" x 8"	65" x 51" x 71"	27 lbs.
4814M-DLK w/48" MDI Compact sign	48" x 8" x 8"	82" x 68" x 71"	30 lbs.

All dimensions are Height x Width x Depth.





MDI® is proud to offer a full range of sign stands to meet your work zone signage needs. Our Original WindMaster® sign stands, constructed of steel bases and spring components, deliver the quality you have come to rely on. Our WindMaster product line allows deployment of your signs at various heights between 12" and 84" from ground surface. The entire line is designed to withstand strong wind gusts. Models 4818®K and 4860®K feature MDI's BreakAway® system.

- ◆ Steel base and spring components specially coated to withstand 240 hours of salt spray.
- ◆ Aircraft aluminum alloy legs and uprights, with anti-skid rubber leg caps.
- ◆ Adjustable legs for stability on curbs or uneven terrain.
- ◆ Dual spring base with strong initial tension resists twisting and turning of sign in high wind gusts.



Holds sign 12" from ground



Holds sign 14" from ground



Holds sign 14" from ground



Holds sign 18" from ground



Holds sign 60" and 84" from ground

3612®DLK

For use with MDI DuraLatch® signs, 3-pocket signs and MDI Compact® signs. Dual spring. Telescoping legs.

4814®M-DLK

For use with MDI DuraLatch signs, 3-pocket signs and MDI Compact signs. Dual spring. Telescoping legs. Also available in screw-lock (4814M-SL) and CamLock® (4814CAM).

4814HDK

For use with MDI DuraLatch signs, 3-pocket signs and MDI Compact signs. Dual spring. Telescoping legs.

4818K

For use with roll-up and rigid, aluminum, plywood, plastic and aluminum laminate signs. BreakAway feature. Rigid and/or rollup brackets available. (brackets sold separately).

4860K

For use with roll-up, aluminum, plywood, plastic and aluminum laminate signs. BreakAway feature. Rigid and/or rollup brackets available. (brackets sold separately).

Model Number	Deployed Height*	Sign Height**	Folded Dimensions (HxWxD)	Weight (w/o brackets)	Roll-Up Signs		Rigid Signs	WindMaster Springs
					MDI Compact	MDI DuraLatch		
3612DLK	80"	12"	24¾" X 6½" X 6½"	17 lbs.	◆	◆	—	Dual
4814M-DLK	82"	14"	25" X 6½" X 6½"	21 lbs.	◆	◆	—	Dual
4814HDK	82"	14"	30¼" X 6½" X 6½"	23 lbs	◆	◆	—	Dual
4814M-SL	82"	14"	25" X 6½" X 6½"	25 lbs	◆	◆	—	Dual
4814CAM	82"	14"	28¼" X 6½" X 6½"	25 lbs	◆	◆	—	Dual
4818K	86"	18"	58" X 11" X 8¼"	31 lbs.	—	◆	◆	Dual
4860K	128" & 152"	60" & 84"	84¼" X 11" X 8¼"	44 lbs.	—	◆	◆†	Dual

* To top of 48" sign without flags. ** Distance from bottom of 48" sign to ground. † 5 ft. only for rigid signs.



The Original and Still the Best.

- ◆ One person deployment without tools.
- ◆ Kick-release/telescoping legs simplify set up and handling.
- ◆ Easy handling and convenient storage. 3612®DLK and 4814® Series occupy only 1-cubic foot of storage space when folded.
- ◆ Designed for use with long-lasting MDI DuraLatch®, MDI Compact®, plastic and sewn pocket roll-up signs.
- ◆ 4814HDK's larger footprint provides greater wind resistance.
- ◆ NCHRP-350 and/or MASH accepted.

STAND ORDERING INFORMATION

To order stands, please use the codes below for bracket needed:

- Roll-Up Only -1
 - Rigid Only -2
 - Roll-Up and Rigid -3
- (For example: 4818®K-2)



DROP-N-LOCK UPRIGHT

The molded cap helps to channel your MDI® crossbrace into the upright. The spring-loaded pin automatically locks your MDI DuraLatch, MDI Compact or 3-pocket sign in place.



CAMLOCK® UNIVERSAL SIGN BRACKET

Slide the vertical crossbrace on the sign into the channel of the CamLock bracket and pull up on the handle. This will tighten the pressure plate against the crossbrace and lock it securely into place.



SCREW-LOCK UNIVERSAL SIGN BRACKET

Slide the vertical crossbrace on the sign into the bracket channel. Secure sign by turning the screw handle until crossbrace fits tightly against pressure plate.



UNIVERSAL ROLL-UP SIGN BRACKET - SA-00001

Used with any standard roll-up sign. (Order with 4818®K, 4860®K, and 5018K).



RIGID SIGN BRACKETS - SA-01729

Secure signs up to ¾" thick. Two brackets are required per sign (Order with 4818K, 4860K, and 5018K).

MDI's Original WindMaster Sign Stand

The first spring-loaded, portable sign stand in the industry, and still the best. Engineered using the highest quality components and thoroughly tested to ensure exceptional performance.



ORIGINAL WINDMASTER SIGN STANDS
ARE BACKED AGAINST DEFECTS IN
WORKMANSHIP, PARTS AND MATERIALS.



Kick-Release



Uneven Terrain

Adjustable legs for stability on curbs or uneven terrain.





This group of WindMaster® sign stands are designed for rugged performance and durability. This line will meet your budgetary needs without sacrificing quality. For convenience, these sign stands are designed to hold standard roll-up sign using standard 1¼" wide fiberglass crossbracing. Use your existing roll-up signs or MDI® models. All MDI WindMaster sign stands feature kick-release legs and are also available in aluminum. WindMaster sign stands are backed against defects in workmanship, parts and materials.

- ◆ Strong wind performance.
- ◆ Folds for easy handling and convenient storage. 5012 Series occupies only 1-cubic foot of storage space when folded.
- ◆ Designed to accommodate most roll-up signs up to 48" in size. 5018K has additional rigid sign capabilities.
- ◆ Individually adjustable legs for stability on curbs and uneven terrain.
- ◆ Available with aluminum legs.
- ◆ NCHRP-350 / MASH accepted.

**40CAM**


CamLock® sign bracket. Single spring. Featuring telescoping legs. For use with roll-up signs only.

**5012M-SS**

Screw-lock sign bracket included. Single spring. Featuring telescoping legs. For use with roll-up signs only.

**5012NS**

Screw-lock sign bracket included. No spring. Featuring telescoping legs. For use with roll-up signs only.
Also available in CamLock® (5012M-NCAM).

**5018K**

For use with roll-up, aluminum, plywood, plastic and aluminum laminate signs. Dual spring and BreakAway® feature.

Model Number	Deployed Height*	Sign Height**	Folded Dimensions (HxWxD)	Weight (w/o brackets)	Roll-Up Signs	Rigid Signs	WindMaster Springs
40CAM	80"	12"	25½" X 7½" X 6½"	21 lbs.	◆	—	Single
5012M-NCAM	80"	12"	29" X 7½" X 6½"	21 lbs.	◆	—	None
5012NS	80"	12"	25" X 7½" X 6½"	18 lbs.	◆	—	—
5012M-SS	80"	12"	25" X 7½" X 6½"	22.5 lbs.	◆	—	Single
5018K***	86"	18"	58" X 11" X 8¼"	32 lbs.	◆	◆	Dual

* To top of 48" sign without flags. ** Distance from bottom of 48" sign to ground.

***5018K not compatible with MDI Compact® signs.



The Tripod Sign Stand is the most economical in our line.

- ◆ Holds 36" or 48" signs a minimum of 12" off the ground.
- ◆ Meets I specifications.
- ◆ Easy set up.
- ◆ Folds to store compactly.
- ◆ NCHRP-350 accepted.

30TRI – Light Duty

- ◆ Tubular steel construction.
- ◆ Orange powder coat finish.
- ◆ Open footprint of 46" x 60".
- ◆ NCHRP-350 accepted.



Sign not included.

50TRI – Heavy Duty

- ◆ 1¼" sq. steel construction – zinc coated.
- ◆ Integrated three wooden dowel flag bracket (flags sold separately).
- ◆ Ballast hook to hang sandbags or weights for added stability.
- ◆ Open footprint of 48" x 51".
- ◆ NCHRP-350 accepted.
- ◆ SA-16780 required for roll-up signs. (Sold separately).



Sign not included.

Tripod Sign Stand	Open Footprint	Folded Dimensions (HxWxD)	Weight
30TRI	46" X 60"	62" X 4½" X 3"	12 lbs.
50TRI	48" X 51"	54" X 9" X 5"	16 lbs.



METAL ADJUSTABLE ROLL-UP MOUNTING BRACKET

Accommodates any roll-up sign with standard 1¼" wide fiberglass crossbracing. More information on page 40. SA-16780



Designed for Rugged Performance and Durability.

STACKMASTER™ RUBBER BASE

- ◆ Sign stand securely holds flexible roll-up signs of all standard shapes, including rectangular, octagonal, triangular, and diamond shape. Accommodates sign sizes up to 16 sq. ft. Placement of the bottom of all signs must be at least 12" above the ground.
- ◆ Sign stand is available with a **universal screw-lock upright** that will hold most standard roll-up signs.
- ◆ The base has a steel plate molded into the rubber for maximum stability. In addition, the base has three molded carrying handles for easy movement and placement.
- ◆ Sign stand has a foldable upright. The foldable upright has a steel kick-release pin with a spring mechanism completely enclosed inside the mast. The upright is released by pushing the kick-release pin with hand or foot.

User Benefits

- ◆ Storage; occupy 1.5 cubic ft. folded.
- ◆ The low profile design with heavy ballast prevents the need for folding legs that extend into traffic.
- ◆ The upright holds a sign four degrees past the vertical axis to allow the sign to naturally lean slightly backwards for motorist legibility.
- ◆ Sign stand has four stacking lugs molded into the top of the base and four mating feet molded into the bottom of the base that allow sign stands to stack on top of each other.
- ◆ Sign stand dimensions when deployed are 6' 8" in height, 28" in depth, and 68" in width. When folded the unit shall not exceed 4.5" in height, 28" in depth, and 18" in width. The overall weight of the StackMaster is 35 lbs.





The versatile DuraLatch® sign is the only self-adjusting roll-up sign available. The EPDM rubber straps allow the sign to expand and contract as needed in varying weather conditions. The straps fasten securely to the crossbrace (sold separately) with heavy-duty brass and steel components.

- ◆ Self-adjusts to keep sign taut and readable.
- ◆ Absorbs stress caused by gusting winds and passing vehicles.
- ◆ Will not disengage in back winds.
- ◆ The DuraLatch sign attaches to the crossbracing with high-strength EPDM rubber straps.
- ◆ **MDI exclusive.**



Quick & easy set up — simply wrap DuraLatch strap around the crossbracing and snap onto solid-tip posts.

Plastic Pocket Sign

Plastic pocket signs come complete with fiberglass crossbracing and are available in a 3-pocket or 4-pocket style. In the 3-pocket style, the sign is permanently riveted to the vertical upright on the crossbrace and sign is deployed by simply opening the horizontal arm and inserting into the two plastic pockets. The 4-pocket style comes in two pieces — sign and crossbrace. Sign is deployed by inserting each end of the crossbrace into the pockets on each corner of the sign.

Sewn Pocket Sign

Sewn pocket signs come complete with fiberglass crossbracing and are available in a 3-pocket or 4-pocket style. In the 3-pocket style, the sign is permanently riveted to the vertical upright on the crossbrace and sign is deployed by simply opening the horizontal arm and inserting into the two sewn pockets. The 4-pocket style comes in two pieces — sign and crossbrace. Sign is deployed by inserting each end of the crossbrace into the pockets on each corner of the sign.



DURALATCH ROLL-UP SIGNS
ARE BACKED AGAINST DEFECTS IN
WORKMANSHIP, PARTS AND MATERIALS.



PLASTIC POCKET SIGNS
ARE BACKED AGAINST DEFECTS IN
WORKMANSHIP, PARTS AND MATERIALS.



SEWN POCKET SIGNS
ARE BACKED AGAINST DEFECTS IN
WORKMANSHIP, PARTS AND MATERIALS.



Variety of materials, styles and legends.



BE PREPARED TO STOP
36" _____-03765
48" _____-03766



FLAGGER - FLAG SYMBOL
36" _____-03642
48" _____-03643



FLAGGER - PADDLE SYMBOL
36" _____-05681
48" _____-05682



FLAGGER AHEAD
36" _____-04094
48" _____-04095



MERGE LEFT - SYMBOL
36" _____-04102
48" _____-04103



MERGE RIGHT - SYMBOL
36" _____-04104
48" _____-04105



MOWING AHEAD
36" _____-04925
48" _____-04926



ONE LANE ROAD AHEAD
36" _____-03649
48" _____-03650



PREPARE TO STOP
36" _____-03655
48" _____-03656



ROAD CLOSED
36" _____-09699
48" _____-09423



ROAD CLOSED AHEAD
36" _____-04106
48" _____-04107



ROAD WORK AHEAD
36" _____-04096
48" _____-04097



SHOULDER WORK
36" _____-04196
48" _____-04197



SHOULDER WORK AHEAD
36" _____-04201
48" _____-04202



STOP
36" _____-04110
48" _____-04517



SURVEY CREW
36" _____-04092
48" _____-04093





WORKER - SYMBOL
36" _____-03640
48" _____-03641



WORKERS AHEAD
36" _____-03989
48" _____-04091



UTILITY WORK AHEAD
36" _____-04203
48" _____-04204



WORK AREA AHEAD
36" _____-03644
48" _____-03645



CUSTOM LEGENDS AVAILABLE
Call 800-521-6776 for details

Choice of four sign materials.

To ensure that you receive the correct material for your chosen sign, simply fill in the blank ____ before the part number with the appropriate material prefix as listed below:



MDI Compact® Sign Material Prefixes

DCF ORALITE Super Bright
DCM ORALITE Marathon

MDI Compact signs include foldable crossbracing.
Turn to page 9 for more information on
MDI Compact Collapse & Wrap sign system.

DuraLatch® Sign Material Prefixes

DF ORALITE Super Bright
DFM ORALITE Marathon
DF3 3M Diamond Grade

DuraLatch signs and crossbracing are sold separately.
See page 19 for crossbracing options.

Plastic Pocket Sign Material Prefixes

3-Pocket		4-Pocket	
P3F	ORALITE Super Bright	P4F	ORALITE Super Bright
P3FM	ORALITE Marathon	P4FM	ORALITE Marathon
P3F3	3M Diamond Grade	P4F3	3M Diamond Grade
P3N	Non-Reflective	P4N	Non-Reflective

Plastic pocket signs include the crossbrace.

Sewn Pocket Sign Material Prefixes

3-Pocket		4-Pocket	
S3F	ORALITE Super Bright	S4F	ORALITE Super Bright
S3FM	ORALITE Marathon	S4FM	ORALITE Marathon
S3F3	3M Diamond Grade	S4F3	3M Diamond Grade

Sewn pocket signs include the crossbrace.



Changeable Sign Legends

Four sign and overlay patch materials available.



UTILITY WORK *AHEAD*
36" _____-03659
48" _____-03660

P1 P2 P3



ROAD CLOSED *AHEAD*
36" _____-38190
48" _____-09688

P1 P2 P3



ROAD WORK *AHEAD*
36" _____-07034
48" _____-07035

P1 P2 P3



TRANSITION SYMBOL
(overlay patch included)
36" _____-69916
48" _____-69917



RIGHT LANE
CLOSED *AHEAD*
36" _____-03657
48" _____-03658

P5 P6



RIGHT LANE
CLOSED *AHEAD*
36" _____-04991
48" _____-04912

P5 P6 OVER RIGHT
P7 P8 P9 OVER AHEAD



MERGE WITH
CHANGEABLE ARROW
(overlay patch included)
36" _____-04100
48" _____-04101

Overlay Patches

P1 BLANK 500 FT

TWO-SIDED
36" _____-03463
48" _____-05231

P2 1000 FT 1500 FT

TWO-SIDED
36" _____-03464
48" _____-05232

P3 ½ MILE 1 MILE

TWO-SIDED
36" _____-04370
48" _____-05233

P5 LEFT

36" _____-04408
48" _____-04409

P6 LEFT CENTER

TWO-SIDED
36" _____-03931
48" _____-03930

P7 BLANK 500 FT

TWO-SIDED
36" _____-19284
48" _____-05508

P8 1000 FT 1500 FT

TWO-SIDED
36" _____-19285
48" _____-05509

P9 ½ MILE 1 MILE

TWO-SIDED
36" _____-28378
48" _____-05922



ORALITE®
Super Bright
Orange



Non-
Reflective



ORALITE
Marathon
Orange



3M Diamond
Grade
Orange

Overlay Patch Material Prefixes

PF Oralite Super Bright
PFM Oralite Marathon
PF3 3M Diamond Grade
PNR Non-Reflective



DuraLatch® Crossbracing

- ◆ 1¼" wide fiberglass crossbracing for diamond-shaped DuraLatch roll-up signs.
- ◆ Crossbracing is interchangeable with same size DuraLatch signs. Crossbracing available in three styles for 36" or 48" signs.



The integrated flags deploy by rotating fiberglass staffs upward, and locking in place with black collars. No loose parts!

DuraLatch Crossbracing

36" crossbracing:
vertical = ¼" thick
horizontal = ⅜" thick

48" crossbracing:
vertical = ⅜" thick
horizontal = ⅜" thick



STYLE 1

DuraLatch crossbracing for use with 4818®, 4860®, T1260, 50SM and 5018K.

DX1-30W30H - for 30" X 30" sign

DX1-48W24H - for 48" X 24" sign

DX1-36W48H - for 36" X 48" sign




STYLE 2

DuraLatch crossbracing for use with all MDI® sign stands.


DX2-30W30H - for 30" X 30" sign

DX2-48W24H - for 48" X 24" sign

DX2-36W48H - for 36" X 48" sign



WITH NO FLAGS
36" DLX-03630
48" DLX-03631



WITH 2 FLAGS
36" DLX-03626
48" DLX-03628



WITH 3 FLAGS
36" DLX-03592
48" DLX-03593

Custom Rectangular and Square Roll-up signs available. Crossbracing sold separately.



DuraLatch® Rectangular Signs



END ROAD WORK
48" X 24" _____-05079



END UTILITY WORK
48" X 24" _____-03623





END WORK AREA
30" X 30" _____-03597




DuraLatch Sign Material Prefixes

DF	ORALITE® Super Bright
DFM	ORALITE Marathon
DF3	3M Diamond Grade

 ORALITE
Super Bright
Orange

 3M Diamond
Grade
Orange

 ORALITE
Marathon
Orange


Custom sizes and legends are available in all sign styles.



Sign and Sign Stand Compatibility Guide

Model Number	Roll-Up Signs Only	Rigid & Roll-Up Signs	Plastic/ Sewn Pocket Sign	MDI DuraLatch® Roll-Up Sign	MDI Compact® Sign	Steel Legs	Aluminum Legs	Steel Upright	Aluminum Upright	Sign Height*	Length A	Length B	Page Number
30TRI	—	◆	◆	◆	◆	◆	—	◆	—	12"	46"	60"	13
50TRI	—	◆	◆	◆	—	◆	—	◆	—	12"	48"	51"	13
STACKMASTER™-SL	◆	—	◆	◆	◆	—	—	—	◆	12"	18"	28"	14
5012NS	◆	—	◆	◆	◆	◆	—	◆	—	12"	52"	68"	12
5012M-NCAM	◆	—	◆	◆	◆	◆	—	◆	—	12"	52"	68"	6
5012M-SS	◆	—	◆	◆	◆	◆	—	◆	—	12"	52"	68"	12
40CAM	◆	—	◆	◆	◆	◆	—	◆	—	12"	52"	68"	12
3612°DLK	◆	—	◆**	◆	◆	—	◆	—	◆	12"	44"	62"	10
4814°M-DLK	◆	—	◆**	◆	◆	—	◆	—	◆	14"	50"	71"	10
4814M-SL	◆	—	◆	◆	◆	—	◆	◆	—	14"	50"	71"	6
4814CAM	◆	—	◆	◆	◆	—	◆	◆	—	14"	50"	71"	10
4814HDK	◆	—	◆**	◆	◆	—	◆	—	◆	14"	60"	87"	10
50SM-NS	—	◆	◆	◆	—	◆	—	◆	—	12" - 54"	52"	68"	6
50SM-2S	—	◆	◆	◆	—	◆	—	◆	—	12" - 63"	38"	81"	7
50SM-2S7	—	◆	◆	◆	—	◆	—	◆	—	12" - 84"	38"	81"	7
5018K	—	◆	◆	◆	—	◆	—	—	◆	18"	38"	81"	12
4818°K	—	◆	◆	◆	—	—	◆	—	◆	18"	39"	81"	10
4818M	—	◆	◆	◆	—	—	◆	—	◆	12" - 63"	39"	81"	7
T1260M	—	◆	◆	◆	—	—	◆	—	◆	12" - 63"	67"	96"	7
4860°M-LT	—	◆	◆	◆	—	—	◆	—	◆	12" - 84"	58"	83"	7
4860K	—	◆	◆	◆	—	—	◆	—	◆	60" & 84"	55"	122"	10
4860M	—	◆	◆	◆	—	—	◆	—	◆	12" - 84"	55"	122"	7
4860M-84	—	◆	◆	◆	—	—	◆	—	◆	12" - 88"	55"	122"	7
4884KET	—	◆	◆	◆	—	—	◆	—	◆	84"	63"	144"	—

*Maximum sign height may depend on type of sign. **3-pocket plastic/sewn only.



MDI® UNDERSTANDS THE IMPORTANCE OF CREATING ORDER QUICKLY AND DECISIVELY FOR TRAFFIC INCIDENT MANAGEMENT OR EMERGENCY SITUATIONS.

Our rapid-deploying MDI Compact® Sign System sets up in less than 20 seconds to effectively inform, guide and protect motorists and improve the safety of first responders.

TrafficMaster sign systems provide a critical component of the traffic incident management area — keeping emergency responders safe.

Improves visibility — Retroreflective sign material returns 60 to 70% of incoming light back to the light source. The sign shows up brightly in headlights or ambient daylight – close up or from thousands of feet away – even when lights are not facing the sign directly.

Improves effectiveness — Use of advance warning signs gives the motorist time to react and adjust to an incident in the roadway.

Improves communication — TrafficMaster sign systems provide concise messages and direction to oncoming traffic.



TRAFFICMASTER SIGN STANDS
ARE BACKED AGAINST
DEFECTS IN WORKMANSHIP,
PARTS AND MATERIALS.



*NFPA 1500, 2013 Edition, MUTCD Chapter 6.0 recommends advance warning signs at the major, minor, and intermediate duration incidents.



Uneven Terrain

Adjustable legs for stability on curbs or uneven terrain.

NFPA 1500 states one or more of the following devices shall be used: 48" retroreflective signs, cones and/or illuminated warning devices for traffic incident management. MUTCD mandates the use of advance warning signs and other appropriate traffic control devices for control of traffic through incident management areas.*

The TrafficMaster sign stand is specially engineered for portability, ease of handling, and reliable performance at emergency scenes.

- ◆ Quick and easy one-person set up without tools.
- ◆ Kick-release legs simplify set up and handling.
- ◆ Dual spring base for strong initial tension resists twisting and turning of sign, even in high wind gusts.
- ◆ Aircraft aluminum alloy legs and uprights include anti-skid leg caps. Adjustable telescoping legs stabilize sign stands on curbs or uneven terrain.
- ◆ Compact and convenient storage.
- ◆ Designed for use with long-lasting MDI Compact® signs.



Strong Communication

Give motorists precise information.
Retroreflective signs are highly visible — day or night.



Advance Warning

Allows motorists time to perceive and react.




Quickest and easiest deployment in the industry.

The MDI Compact® Collapse & Wrap Sign System is comprised of an MDI Compact sign and a TrafficMaster sign stand (each sold separately). Once the sign is mounted to the stand, it becomes one unit and, if desired, the sign can stay in place in the stand. To store, the sign instantly collapses down using the single trigger release button and wraps around the upright on the stand. The rapid deployment significantly improves safety and efficiency in traffic incident management areas.

- ◆ Sign and stand sets up in less than 20 seconds.
- ◆ Flexible fiberglass crossbrace enhances wind performance.



An optional flag bracket is available.



Single Trigger Release
The patented MDI Compact Collapse & Wrap sign system features signs that have hinged, integrated crossbracing with a single trigger release mechanism for rapid deployment and take-down.

MDI Compact Collapse & Wrap Sign System
Consists of MDI Compact sign with TrafficMaster sign stand. For use with sign stand model 3612®DLK. See pages 25-27 for signs.



MDI COMPACT COLLAPSE & WRAP SIGN IS BACKED AGAINST DEFECTS IN WORKMANSHIP, PARTS AND MATERIALS.



DROP-N-LOCK UPRIGHT
The molded cap helps to channel your MDI® crossbrace into the upright. The spring-loaded pin automatically locks your MDI Compact sign in place.



Sign and sign stand store as one for rapid deployment.

MDI Compact Sign System	Folded Dimensions Stand / Sign	Deployed Dimensions Stand / Sign	Weight
3612DLK w/36" MDI Compact sign	38" x 8" x 8"	63" x 51" x 62"	23 lbs.
3612DLK w/48" MDI Compact sign	46" x 8" x 8"	80" x 68" x 62"	26 lbs.

All dimensions are Height x Width x Depth. MDI's 36" & 48" Compact Sign sold separately.



Retroreflective signs provide high-visibility advance warning both day and night.

MDI Compact® signs include foldable crossbracing.



ACCIDENT AHEAD
36" DCP-04215
48" DCP-07084



BE PREPARED TO STOP
36" DCP-03765
48" DCP-03766



EMERGENCY SCENE AHEAD
36" DCP-09972
48" DCP-27975



FIRE AREA KEEP OUT
36" DCP-04211
48" DCP-28074



FIRE TRAINING
IN PROGRESS
36" DCY-05167
48" DCY-28593



POLICE TRAINING
IN PROGRESS
36" DCY-39598
48" DCY-28569



PREPARE TO STOP
36" DCP-03655
48" DCP-03656



ROAD CLOSED
36" DCP-09699
48" DCP-09423



ROAD CLOSED AHEAD
36" DCP-04106
48" DCP-04107



STOP
36" DCW-04110
48" DCW-04517



TOW TRUCK AHEAD
36" DCP-39597
48" DCP-39582



CUSTOM LEGENDS
AVAILABLE
Call 800-521-6776 for details



ORALITE®
Super Bright
Pink



ORALITE
Super Bright
White



ORALITE
Super Bright
Yellow




Overlay patches increase flexibility.



Hook & loop strips make legend changes fast and easy.
Just point the arrowhead right or left as needed.
(arrow overlay patch included)



ALL TRAFFIC WITH
CHANGEABLE ARROW
36" DCP-04393
48" DCP-28073



MERGE WITH CHANGE-
ABLE ARROW
36" DCP-04100
48" DCP-04101



DETOUR WITH
CHANGEABLE ARROW
36" DCP-07103
48" DCP-09493



EMERGENCY SCENE
WITH CHANGEABLE ARROW
36" DCP-28072
48" DCP-28264

Checkpoint Ahead Changeable Sign Legend & Overlay Patches



CHECKPOINT AHEAD
36" DCY-35322
48" DCY-35323

SEAT BELT

36" PFY-32324
48" PFY-39781

CAR SEAT

36" PFY-35326
48" PFY-35327

DUI

36" PFY-35328
48" PFY-35329

TRAFFIC

36" PFY-35330
48" PFY-35331

SOBRIETY

36" PFY-35332
48" PFY-35333

SECURITY

36" PFY-35334
48" PFY-35335

ID

36" PFY-35336
48" PFY-35337

VEHICLE

36" PFY-35338
48" PFY-35339

POLICE

36" PFY-35340
48" PFY-35341

DWI

36" PFY-39686
48" PFY-39691

LICENSE

36" PFY-39687
48" PFY-39839

Overlay patches are
sold separately.



One sign does it all in customization.

Each word in the legend can be changed as needed to form a new legend. Simply attach the appropriate overlay patch to the hook and loop on the sign.



EMERGENCY SCENE AHEAD
WITH CHANGEABLE LINES
36" DCP-52389
48" DCP-16807



36" Overlay Size 28" x 8"
48" Overlay Size 38" x 10"

ROAD	RAMP	DETOUR	CLOSED
36" P-19310 48" P-19323	36" P-19315 48" P-19392	36" P-19296 48" P-19401	36" P-19311 48" P-19321
BLANK	RIGHT LANE	LEFT LANE	ACCIDENT
36" P-19317 48" P-19318	36" P-19313 48" P-19314	36" P-19312 48" P-19322	36" P-19397 48" P-19418

36" Overlay Size 16" x 8"
48" Overlay Size 25" x 10"

Overlay patches are
sold separately.

BLANK

36" P-19319
48" P-19320

➡ (Reversible)

36" P-19297
48" P-19324



Block the scene with the Privacy Screen.

Protect the privacy of victims involved in **vehicle crashes, fires and police incidents** with the new MDI Compact Privacy Screen®. For maximum wind performance, use of a ballast is recommended.


- ◆ 16' x 7' heavy duty 500 Denier polyester, UV resistant and water repellent block-out screen.
- ◆ One person set up in less than four minutes - no tools required.
- ◆ Individually adjustable legs for stability on uneven terrain.
- ◆ Folds for easy handling and convenient storage.
- ◆ Fire retardant coating.



Privacy sign rolls up and stores in compact bag. Fits within trunk of car.




2017 ATSSA
Innovation Award
First Place



On the scene when you need it.

Bottom of sign can be held up to 37" above hitch.



Sign not included.



SA-43921

- ◆ Fits into any 2" square hitch receiver.
- ◆ For use with all standard roll-up signs.
- ◆ Sign deploys quickly and safely.
- ◆ Sign can be rotated 45° in either direction.
- ◆ Telescoping upright.



Lighted Collapsible Cones provide guidance and warning.

Retroreflective exterior bands and internal illumination.

- ◆ 28" tall extended – only 2½" x 15½" collapsed.
- ◆ Each cone weighs 8 lbs.
- ◆ Cones deploy and retract in seconds
- ◆ Internal flashing or steady-on illumination.
- ◆ Sturdy rubber base.
- ◆ Cones store in carrying case (included).
- ◆ MUTCD compliant.



5 Piece Set - COLLAPSIBLE TRAFFIC CONES & CARRYING CASE
SA-19650



COMMUNICATING WITH MOTORISTS IN AND AROUND YOUR PARKING LOT OR PARKING STRUCTURE IS EASY.

MDI® has a wide array of signage displays exclusively for the parking industry. From wall and building frames to freestanding curb signs and roadway signs, we offer signage displays for virtually any area where you need to deliver a message.





The versatile DuraLatch® (DY) sign is the only self-adjusting roll-up sign available. The EPDM rubber straps allow the sign to expand and contract as needed in varying weather conditions. The straps fasten securely to the crossbrace (sold separately) with heavy-duty brass and steel components. The retroreflective sign material is highly visible in daylight or in headlights.

Plastic Pocket Sign

Plastic pocket signs come complete with fiberglass crossbracing and are available in a 3- or 4-pocket style. In the 3-pocket style (P3Y), the sign is permanently riveted to the vertical upright on the crossbrace and sign is deployed by simply opening the horizontal arm and inserting into the two plastic pockets. The 4-pocket style (P4Y) comes in two pieces – sign and crossbrace. Sign is deployed by inserting each end of the crossbrace into the pockets on each corner of the sign.

Sewn Pocket Sign

Sewn pocket signs come complete with fiberglass crossbracing and are available in a 3- or 4-pocket style. In the 3-pocket style (S3Y), the sign is permanently riveted to the vertical upright on the crossbrace and sign is deployed by simply opening the horizontal arm and inserting into the two sewn pockets. The 4-pocket style (S4Y) comes in two pieces – sign and crossbrace. Sign is deployed by inserting each end of the crossbrace into the pockets on each corner of the sign.



DURALATCH ROLL-UP SIGNS
ARE BACKED AGAINST DEFECTS IN
WORKMANSHIP, PARTS AND MATERIALS.



PLASTIC POCKET SIGNS
ARE BACKED AGAINST DEFECTS IN
WORKMANSHIP, PARTS AND MATERIALS.



SEWN POCKET SIGNS
ARE BACKED AGAINST DEFECTS IN
WORKMANSHIP, PARTS AND MATERIALS.

ORALITE®
Super Bright
Yellow



PASSES ONLY
36" ____-09441



VIP & DISABLED PARKING
WITH CHANGEABLE
ARROW
36" ____-10112



USE NEXT GATE
WITH CHANGEABLE
ARROW
36" ____-07604



EVENT PARKING
WITH CHANGEABLE
ARROW
36" ____-09436



LOT FULL
36" ____-09537



VALET PARKING
WITH CHANGEABLE
ARROW
36" ____-39478



VIP PARKING
WITH CHANGEABLE
ARROW
36" ____-05173



PARKING
WITH CHANGEABLE
ARROW
36" ____-16828



Quickest and Easiest Deployment in the Industry.

The MDI Compact® Collapse & Wrap Sign System is comprised of an MDI Compact sign (DCY) and a TrafficMaster® sign stand (each sold separately). Once the sign is mounted to the stand, it becomes one unit and, if desired, the sign can stay in place in the stand. To store, the sign quickly collapses down using the single trigger release button and wraps around the upright on the stand. The rapid deployment significantly improves safety and efficiency in traffic incident management areas.


- ◆ Sign and stand sets up in less than 20 seconds.
- ◆ Flexible fiberglass crossbrace enhances wind performance.

MDI Compact Collapse & Wrap Sign System
Consists of MDI Compact sign with WindMaster sign stand.

For use with all 3612®, 4814® and 5012 sign stands.

Not available in Diamond Grade material.

Sign and sign stand store as one for rapid deployment.



Signs are sold separately.

MDI Compact Sign System	Folded Dimensions Stand / Sign	Deployed Dimensions Stand / Sign	Weight
3612DLK w/36" MDI Compact sign	38" x 8" x 8"	63" x 51" x 62"	23 lbs.
3612DLK w/48" MDI Compact sign	46" x 8" x 8"	80" x 68" x 62"	26 lbs.
4814HDK w/36" MDI Compact sign	40" x 8" x 8"	65" x 60" x 87"	29 lbs.
4814HDK w/48" MDI Compact sign	48" x 8" x 8"	82" x 68" x 87"	32 lbs.
4814M-DLK w/36" MDI Compact sign	40" x 8" x 8"	65" x 51" x 71"	27 lbs.
4814M-DLK w/48" MDI Compact sign	48" x 8" x 8"	82" x 68" x 71"	30 lbs.

All dimensions are Height x Width x Depth.



MDI COMPACT COLLAPSE & WRAP
SIGN SYSTEM IS BACKED AGAINST
DEFECTS IN WORKMANSHIP,
PARTS AND MATERIALS.



Stand and deliver curb appeal.


WindMasters® create curb appeal. Invented by MDI®, WindMaster wind-resistant outdoor curb signs help draw attention and allow you to change messages with ease.





PosterGrip®

Spring-loaded rails hand-snap open.
Closed rails grip posters evenly
and wrinkle free.



WindMaster Rail

Frame Rail Width: 1³/₄"
Frame Corner: Mitered
Back: Fluted Polypropylene

Model Number	Insert Size	Visual Area	Bleed (per side)	Outside Dimension	Insert Thickness	Stock Finishes
With Legs						
1005	28" x 44"	26" x 42"	1" W	29½" x 45½"	.03"	Satin Silver, Gloss Black
1015	41" x 55"	39" x 53"	1" W	42½" x 56½"	.03"	Satin Silver, Gloss Black
With Rolling Base						
4205	28" x 44"	26" x 42"	1" W	29½" x 45½"	.03"	Satin Silver, Gloss Black



More than just a pretty frame.


PosterGrip® frames create outdoor elegance. Help bring your message outdoors with these remarkably sturdy and easy-to-use merchandising solutions.



820




825



PosterGrip

Spring-loaded rails hand-snap open.
Closed rails grip posters evenly
and wrinkle free.



PosterGrip Rail

Frame Rail Width*: Either Wide 1¾" or Narrow 1¼"
Frame Corner: Mitered
Back: Fluted Polypropylene

Model Number	Insert Size	Visual Area	Bleed (per side)	Outside Dimension	Insert Thickness	Stock Finishes
820	22" x 28"	21¼" x 27¼"	.375" W	23¾" x 29¾"	.04"	Gloss Black
825	28" x 44"	25½" x 41½"	1½" W	29" x 45"	.04"	Satin Silver, Gloss Black
840	41" x 55"	38½" x 52½"	1½" W	42" x 56"	.03"	Satin Silver, Gloss Black

*820 is 1.25" frame rail width, 825 & 840 is 1.75" frame rail width.



IMPROVING PEDESTRIAN SAFETY AND MOBILITY THROUGH INNOVATIVE PRODUCTS THAT WARN, INFORM, AND GUIDE.

Be safe. Be seen. Pedestrians always need to remain alert and avoid dangerous scenarios. Our cutting-edge products provide superior pedestrian protection while also being aesthetically pleasing.



If only sidewalks could talk. Now they can with the patented SpeakMaster™ Audible Messaging System. This freestanding, ADA compliant device can be programmed with an audible message. The SpeakMaster is portable and completely weather resistant for use indoors or outdoors. There is a double-sided frame at the top to hold printed messages and rotates 360°. The base can be weighted for extra stability and the device can be chained or fastened to the pavement for added security. Weighs 50 lbs.

Audible Device Features:

- ◆ Voice module activated by push button at 42"H.
- ◆ Unique locator tone can be activated by motion detector or run continuously. Tone may be bypassed if not applicable.
- ◆ Motion sensor option detects pedestrians from up to 15 feet away.
- ◆ Output volume stays within preset limits or can be programmed to adjust for ambient noise.
- ◆ Program multiple language messages via USB.
- ◆ Audible message can be programmed to continually loop.



Sign System Features:

- ◆ ADA compliant.
- ◆ Completely weather resistant.
- ◆ 360° rotational sign.
- ◆ Interchangeable custom sign.
- ◆ Base tilts and rolls for easy positioning.
- ◆ Base can be weighted for extra stability.
- ◆ Unit can be chained or fastened to pavement for added security.
- ◆ Secured compartments for battery and software.



MDI® OFFERS A NUMBER OF SAFETY ACCESSORIES THAT EXPAND AND COMPLEMENT OUR PRODUCT LINE.

Our safety accessories include brackets, warning flags and storage options. We also offer high-visibility traffic cones, stop/slow paddles and more.

SIGN STAND STORAGE BAG

Heavy-duty nylon bag with handles and hook & loop fasteners.

For use with:

3612®DLK, 4814®M-DLK, 4814CAM, 4814M-SL, and 5012 Series.

Capacity:

SA-04504

(1) sign stand.

**MDI COMPACT® COMPLETE SYSTEM STORAGE BAG**

Heavy-duty nylon bag with handles. Side loading with heavy-duty zipper. Hook & loop closure at top. Reinforced molded plastic bottom.

Capacity:

SA-27990

(1) compact sign stand and (1) 36" or 48" compact sign.

**MDI COMPACT SIGN STORAGE BAG**

Heavy-duty nylon bag with handles and hook & loop fasteners. For use with MDI Compact signs.

Capacity:

SA-35114

(1) 36" or 48" MDI Compact sign.

**ROLL-UP SIGN STORAGE BAG**

Heavy-duty nylon bag with handles and hook and loop fasteners. For use with MDI® roll-up signs.

Capacity:

SA-04195

(1) 36" or 48" sign

SA-03942

(2) 36" or 48" signs

**SIGN STAND STORAGE BOX**

High-density polyethylene container for installation on inside or outside of trucks. Holds two stands.


Inside Single
Cavity Dimensions:
8" W x 6.75" D

Outside Dimensions:
24" H x 18" W x 7.5" D

Capacity: two sign stands.

For use with: 3612DLK,
4814 Series and
5012 Series.

SA-05440



Covered storage box also available.
See dimensions to left.

SA-05441



Not for use with 4814HDK
(cover will not close).



TRUCK MOUNT BRACKET

Use to lock stands in place on inside or outside of truck.

For use with: 3612®DLK, or 4814® Series.

SA-03322



FLASHER BRACKET

Adapter for flashing lights.
Locks securely into flag bracket.

For use with all standard flag holders.

SA-27897



METAL ADJUSTABLE ROLL-UP MOUNTING BRACKET

Accommodates any roll-up sign with standard 1¼" wide fiberglass crossbracing, including MDI® roll-up signs.

Designed to fit all standard tubular mast sizes ranging from ¾" outside dimension to 1½" outside dimension.

SA-16780



RIGID SIGN MOUNTING BRACKET

For rigid signs up to ¾" thick.

Two required per sign.

Designed to fit all standard tubular mast sizes ranging from ¾" outside dimension to 1½" outside dimension.

SA-01729



ROLL-UP SIGN MOUNTING BRACKET

Accommodates any roll-up sign with standard 1¼" wide fiberglass crossbracing, including MDI roll-up signs.

SA-00001

MEDIAN BARRIER MOUNT

Adjustable bracket attaches sign stand (minus base and legs) to concrete barriers. Springs attach to bracket with just two bolts.

SA-10436

For use on barriers
5" – 11" wide.

**SA-28305**

For use on barriers
9" – 15" wide.

**ROTATOR / QUICK CONNECT BRACKET**

Allows sign to be rotated in increments of 45°. The attached hitch pin locks sign in place at the desired angle. Can be rotated 90° so sign legend is not visible when work zone is inactive. For use with median barrier mount and sign stand.

SA-64646**GUARD RAIL BRACKET**

Adjustable bracket attaches sign holder (minus base and legs) to guard rail. Engineered to fit all standard guard rail sizes.

SA-28212**MEDIAN BARRIER SIGN STAND**

WindMaster® sign stand designed exclusively for use on median barriers. Includes rigid brackets.

M4818®

STOP / SLOW PADDLE

Stop / Slow paddles are available in 18" and 24" sizes. Available in Aluminum or ABS Plastic. Multiple reflectivity options: Engineer Grade, Hi-Intensity Prismatic and Diamond Grade. The fiberglass staff holds sign from 5 ft. to 7 ft. above the ground. The fiberglass handle is 12" long.

18" and 24" Sizes Available in Aluminum (M) or ABS Plastic (P)

Engineer Grade (EG)		Diamond Grade (DG)	
18EGM	24EGM	18DGM	24DGM
18EGP	24EGP	18DGP	24DGP
Hi-Intensity Prismatic (HIP)		Hi-Intensity Prismatic/Diamond Grade (HIP/DG)	
18HIPM	24HIPM	18HIP/DGM	
18HIP P	24HIP P		



HANDLE
P-35462



STAFF
SA-35394

WORK ZONE REFERENCE GUIDE

Color-coded easy-reference format includes concise MUTCD/DOT information and typical work applications.

- Complete MUTCD and State specific information on the following: General Information, Flagging Guidelines, Channelizing Devices, Arrow Panels, Advance Warning Signage.
- Includes the following diagrams and charts: Description of the Temporary Traffic Control Zone, Tapers (i.e. Merging, Shifting, 2-Lane, Termination), Advance Warning, Buffer Spaces, Typical Work Applications.

RG-1000U

**SET OF THREE 18" WARNING FLAGS**

Orange flags on 30" long wooden dowels.

SA-04581





4 EASY WAYS TO ORDER

Toll-Free:

800-521-6776
(8:30 am - 5:00 pm EST.
Monday - Friday)

Fax:

248-488-5700

Online:

www.mditrafficcontrol.com

Mail:

Customer Service Department
MDI® Traffic Control Products
38271 W. Twelve Mile Road
Farmington Hills, MI 48331

HAVE A QUESTION?

MDI stands ready to assist you with your traffic safety needs. Our knowledgeable staff can answer questions or research the requirements that apply to your specific situation and provide the products and training to meet your requirements.

Email: tcpsales@mdiworldwide.com

Phone: 800-521-6776

THANK YOU

As a leader in the industry, MDI takes great pride in supplying the highest quality traffic incident, work zone and parking products that meet or exceed federal requirements. Thank you for choosing our product line. We welcome the opportunity to assist you in selecting the appropriate products for all your needs.



MDI Worldwide (with and without globe design), BreakAway®, MDI Compact®, PosterGrip®, and DuraLatch® are trademarks of Marketing Displays, Inc. Many of these marks are registered with the U.S. Patent and Trademark Office and/or in foreign countries.

3M, Scotchmate and Scotchlite are trademarks of 3M Company; ORALITE®, Super Bright, and Marathon are trademarks of ORAFOL Corporation. These trademarks may or may not be registered in the U.S. Patent and Trademark Office and/or foreign countries.

Many of the products shown in this catalog are covered by U.S. patents of Marketing Displays, Inc. Some of the products owned by the company are also covered by foreign patents owned by the company. Marketing Displays, Inc. typically also has one or more U.S. or foreign patent applications pending that are directed to its products. For a specific listing of Marketing Displays, Inc. patents and the products they cover, please go to the About MDI/Patents tab on the "mditrafficcontrol.com" website.

© 2024 Marketing Displays, Inc. • Published 02/25 • All rights reserved. USA



800.521.6776 // mditrafficcontrol.com

